

**Jump To:**[Results](#)**Result:** Failed validation, 52 errors**Address:** **Encoding:** utf-8 **Doctype:** (no Doctype found) **Revalidate With Options** Show Source Show Outline Validate error pages Verbose Output[Help on the options is available.](#)**No Character Encoding Found! Falling back to UTF-8.**

I was not able to extract a character encoding labeling from any of the valid sources for such information. Without encoding information it is impossible to reliably validate the document. I'm falling back to the "UTF-8" encoding and will attempt to perform the validation, but this is likely to fail for all non-trivial documents.

Read the [FAQ entry on character encoding](#) for more details and pointers on how to fix this problem with your document.

**No DOCTYPE found! Attempting validation with HTML 4.01 Transitional.**

The DOCTYPE Declaration was not recognized or is missing. This probably means that the Formal Public Identifier contains a spelling error, or that the Declaration is not using correct syntax. Validation has been performed using a default "fallback" Document Type Definition that closely resembles "HTML 4.01 Transitional", but the document will not be Valid until you have corrected this problem with the DOCTYPE Declaration.

Learn [how to add a doctype to your document](#) from our [FAQ](#).

**This page is not Valid (no Doctype found)!**

Below are the results of attempting to parse this document with an SGML parser.

- Error** Line 1 column 0: no document type declaration; implying "<!DOCTYPE HTML SYSTEM>".

```
<html>
```

The checked page did not contain a document type ("DOCTYPE") declaration. The Validator has tried to validate with a fallback DTD, but this is quite likely to be incorrect and will generate a large number of incorrect error messages. It is highly recommended that you insert the proper DOCTYPE declaration in your document -- instructions for doing this are given above -- and it is necessary to have this declaration before the page can be declared to be valid.

- Error** Line 12 column 31: required attribute "TYPE" not specified.

```
<SCRIPT LANGUAGE = "JavaScript" >
```

The attribute given above is required for an element that you've used, but you have omitted it. For instance, in most HTML and XHTML document types the "type" attribute is required on the "script" element and the "alt" attribute is required for the "img" element.

Typical values for type are type="text/css" for <style> and type="text/javascript" for <script>.

- Error** Line 46 column 29: required attribute "TYPE" not specified.

```
<script language="JavaScript" >
```

4. **Error** Line 68 column 16: there is no attribute "TOPMARGIN".

```
<body topmargin="0" marginheight="0" leftmargin="0" marginwidth="0" bgcolor="#ff
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional" document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the element-undefined error message for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

5. **Error** Line 68 column 33: there is no attribute "MARGINHEIGHT".

```
<body topmargin="0" marginheight="0" leftmargin="0" marginwidth="0" bgcolor="#ff
```

6. **Error** Line 68 column 48: there is no attribute "LEFTMARGIN".

```
...rgin="0" marginheight="0" leftmargin="0" marginwidth="0" bgcolor="#ffffff" ba
```

7. **Error** Line 68 column 64: there is no attribute "MARGINWIDTH".

```
...eight="0" leftmargin="0" marginwidth="0" bgcolor="#ffffff" background="images
```

8. **Error** Line 71 column 73: there is no attribute "BACKGROUND".

```
...="0" cellpadding="0" width="800" background=" ">
```

9. **Error** Line 88 column 88: required attribute "ALT" not specified.

```
..." align="top" width="150" height="21" ><br>
```

10. **Error** Line 120 column 13: there is no attribute "SRC".

```
<embed src="logorotation.swf" loop="false" menu="false" quality="high" bgcolor
```

11. **Error** Line 120 column 37: there is no attribute "LOOP".

```
<embed src="logorotation.swf" loop="false" menu="false" quality="high" bgcolor
```

12. **Error** Line 120 column 50: there is no attribute "MENU".

```
..."logorotation.swf" loop="false" menu="false" quality="high" bgcolor="#ffffff"
```

13. **Error** Line 120 column 66: there is no attribute "QUALITY".

```
...f" loop="false" menu="false" quality="high" bgcolor="#ffffff" width="158" hei
```

14. **Error** Line 120 column 81: there is no attribute "BGCOLOR".

```
... menu="false" quality="high" bgcolor=" #ffffff" width="158" height="109" name=
```

15. **Error** Line 120 column 97: there is no attribute "WIDTH".

```
...ality="high" bgcolor="#ffffff" width= 158" height="109" name="logorotation" a
```

16. **Error** Line 120 column 110: there is no attribute "HEIGHT".

```
...bgcolor="#ffffff" width="158" height= 109" name="logorotation" align="middle"
```

17. **Error** Line 120 column 121: there is no attribute "NAME".

```
...ffffff" width="158" height="109" name= logorotation" align="middle" allowScrip
```

18. **Error** Line 120 column 142: there is no attribute "ALIGN".

```
...ight="109" name="logorotation" align= middle" allowScriptAccess="sameDomain"
```

19. **Error** Line 120 column 169: there is no attribute "ALLOWSCRIPTACCESS".

```
...on" align="middle" allowScriptAccess= sameDomain" type="application/x-shockwa
```

20. **Error** Line 120 column 187: there is no attribute "TYPE".

```
... allowScriptAccess="sameDomain" type= application/x-shockwave-flash" pluginsp
```

21. **Error** Line 120 column 231: there is no attribute "PLUGINSPAGE".

```
...ation/x-shockwave-flash" pluginspage= http://www.macromedia.com/go/getflashpl
```

22. **Error** Line 120 column 277: element "EMBED" undefined.

```
...ww.macromedia.com/go/getflashplayer" />
```

You have used the element named above in your document, but the document type you are using does not define an element of that name. This error is often caused by:

- o incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Frameset" document type to get the "<frameset>" element),
- o by using vendor proprietary extensions such as "<spacer>" or "<marquee>" (this is usually fixed by using CSS to achieve the desired effect instead).
- o by using upper-case tags in XHTML (in XHTML attributes and elements must be all lower-case).

23. **Error** Line 131 column 71: document type does not allow element "FORM" here; missing one of "APPLET", "OBJECT", "MAP", "IFRAME" start-tag.

```
...ion="http://www.alertsite.com/cgi-bin/listmgr" >
```

The mentioned element is not allowed to appear in the context in which you've placed it; the other mentioned elements are the only ones that are both allowed there *and* can contain the element mentioned. This might mean that you need a containing element, or possibly that you've forgotten to close a previous element.

One possible cause for this message is that you have attempted to put a block-level element (such as "<p>" or "<table>") inside an inline element (such as "<a>", "<span>", or "<font>").

24. **Error** Line 133 column 56: duplicate specification of attribute "TYPE".

```
...size="15" name="email" value="" type="text" onFocus="if(this.value=='Your E-m
```

You have specified an attribute more than once. For instance, you have used the "height" attribute twice on the same "img" tag.

25. **Warning** Line 162 column 131: cannot generate system identifier for general entity "I".

```
...url=http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.
```

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the WDG in "Ampersands in URLs".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (even inside URLs). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

26. **Error** Line 162 column 131: general entity "I" not defined and no default entity.

```
...url=http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

27. **Error** Line 162 column 132: reference to entity "I" for which no system identifier could be generated.

```
...rl=http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.p
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

28. **Info** Line 162 column 130: entity was defined here.

```
..._url=http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www
```

29. **Warning** Line 162 column 136: cannot generate system identifier for general entity "x".

```
...tp://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phpli
```

30. **Error** Line 162 column 136: general entity "x" not defined and no default entity.

```
...http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phpli
```

31. **Error** Line 162 column 137: reference to entity "x" for which no system identifier could be generated.

```
...tp://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phpliv
```

32. **Info** Line 162 column 135: entity was defined here.

```
...http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phpl
```

33. **Warning** Line 162 column 140: cannot generate system identifier for general entity "deptid".

```
.../www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phplivesu
```

34. **Error** Line 162 column 140: general entity "deptid" not defined and no default entity.

```
.../www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phplivesu
```

35. **Error** Line 162 column 146: reference to entity "deptid" for which no system identifier could be generated.

```
...alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phplivesupport.
```

36. **Info** Line 162 column 139: entity was defined here.

```
...://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phplives
```

37. **Error** Line 162 column 150: required attribute "TYPE" not specified.

```
...tsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www.phplivesupport.com"
```

38. **Error** Line 162 column 194: end tag for element "A" which is not open.

```
...f="http://www.phplivesupport.com"></a></script>
```

The Validator found an end tag for the above element, but that element is not currently open. This is often caused by a leftover end tag from an element that was removed during editing, or by an implicitly closed element (if you have an error related to an element being used where it is not allowed, this is almost certainly the case). In the latter case this error will disappear as soon as you fix the original problem.

If this error occurred in a script section of your document, you should probably read this [FAQ entry](#).

39. **Error** Line 176 column 74: there is no attribute "VQPTAG".

```
...<script language="JavaScript" vqptag="doc_level_settings" is_vqp_html=1 vqp_d
```

40. **Error** Line 176 column 107: there is no attribute "IS\_VQP\_HTML".

```
...tag="doc_level_settings" is_vqp_html=1 vqp_datafile0="menu/new_menu.js" vqp_u
```

41. **Error** Line 176 column 123: there is no attribute "VQP\_DATAFILE0".

```
...ettings" is_vqp_html=1 vqp_datafile0=" menu/new_menu.js" vqp_uid0=525453>cdd__
```

42. **Error** Line 176 column 151: there is no attribute "VQP\_UID0".

```
...atafile0="menu/new_menu.js" vqp_uid0=525453>cdd__codebase = "menu/";cdd__code
```

43. **Error** Line 176 column 157: required attribute "TYPE" not specified.

```
...e0="menu/new_menu.js" vqp_uid0=525453>cdd__codebase = "menu/";cdd__codebase52
```

44. **Error** Line 177 column 73: required attribute "TYPE" not specified.

```
...tag="datafile" src="menu/new_menu.js"></script><script vqptag="placement" vqp
```

45. **Error** Line 177 column 121: there is no attribute "VQP\_MENUID".

```
...script vqptag="placement" vqp_menuid="525453" language="JavaScript">create_me
```

46. **Error** Line 177 column 151: required attribute "TYPE" not specified.

```
...menuid="525453" language="JavaScript">create_menu(525453)</script>
```

47. **Error** Line 240 column 30: there is no attribute "BACKGROUND".

```
<td width="20" background="images/bg_lines.gif">Speak to a Performance Advisor.<br><br>
```

The element named above was found in a context where it is not allowed. This could mean that you have incorrectly nested elements -- such as a "style" element in the "body" section instead of inside "head" -- or two elements that overlap (which is not allowed).

One common cause for this error is the use of XHTML syntax in HTML documents. Due to HTML's rules of implicitly closed elements, this error can create cascading effects. For instance, using XHTML's "self-closing" tags for "meta" and "link" in the "head" section of a HTML document may cause the parser to infer the end of the "head" section and the beginning of the "body" section (where "link" and "meta" are not allowed; hence the reported error).

49. **Error** Line 248 column 88: reference to entity "l" for which no system identifier could be generated.

```
.../status_image.php?base_url=/phplive&l=ml&x=1&deptid=0"><a href="http://www.p
```

50. **Info** Line 162 column 130: entity was defined here.

```
..._url=http://www.alertsite.com/phplive&l=ml&x=1&deptid=1"><a href="http://www
```

51. **Error** Line 248 column 93: reference to entity "x" for which no system identifier could be generated.

```
...us_image.php?base_url=/phplive&l=m&x=1&deptid=0"><a href="http://www.phpliv
```

52. **Info** Line 162 column 135: entity was defined here.

```
...http://www.alertsite.com/phplive&l=m&x=1&deptid=1"><a href="http://www.phpl
```

53. **Error** Line 248 column 102: reference to entity "deptid" for which no system identifier could be generated.

```
...php?base_url=/phplive&l=m&x=1&deptid=0"><a href="http://www.phplivesupport.
```

54. **Info** Line 162 column 139: entity was defined here.

```
...://www.alertsite.com/phplive&l=m&x=1&deptid=1"><a href="http://www.phplives
```

55. **Error** Line 248 column 106: required attribute "TYPE" not specified.

```
...base_url=/phplive&l=m&x=1&deptid=0"><a href="http://www.phplivesupport.com"
```

56. **Error** Line 248 column 150: end tag for "SCRIPT" omitted, but its declaration does not permit this.

```
...f="http://www.phplivesupport.com"></a></script>
```

- o You forgot to close a tag, or
- o you used something inside this tag that was not allowed, and the validator is complaining that the tag should be closed before such content can be allowed.

The next message, "start tag was here" points to the particular instance of the tag in question); the positional indicator points to where the validator expected you to close the tag.

57. **Info** Line 248 column 5: start tag was here.

```
<script language="JavaScript" src="/phplive/js/status_image.php?base_url=/p
```

58. **Error** Line 248 column 159: end tag for element "SCRIPT" which is not open.

```
.../www.phplivesupport.com"></a></script>
```

59. **Error** Line 252 column 8: end tag for "A" omitted, but its declaration does not permit this.

```
</td></tr>
```

60. **Info** Line 246 column 5: start tag was here.

```
<a href="https://www.alertsite.com/login/" style="text-decoration:none">Log
```

61. **Warning** Line 258 column 33: reference to non-SGML character.

```
D&eacute;j&agrave;Click&#153;, the first inside-the-browser transaction rec
```

You've included a character reference to a character that is not defined in the document type you've chosen. This is most commonly caused by numerical references to characters from vendor proprietary character repertoires. Often the culprit will be fancy or typographical quote marks from either the Windows or Macintosh character repertoires.

The solution is to reference UNICODE characters instead. A list of common characters from the Windows character repertoire and their

UNICODE equivalents can be found in the document "[On the use of some MS Windows characters in HTML](#)" maintained by Jukka Korpela <[jkorpela@cs.tut.fi](mailto:jkorpela@cs.tut.fi)>.

62. **Warning** Line 258 column 126: reference to non-SGML character.

```
... playback tool, employs TrueUser&#153; monitoring to capture web content.
```

63. **Error** Line 263 column 120: required attribute "ALT" not specified.

```
...0" vspace="10" border="0" align="top" ></a>
```

64. **Warning** Line 308 column 95: reference to non-SGML character.

```
... "terms.shtml" >Terms of Use</a> &#149; Copyright&copy; 1998-2006 AlertSite. A
```

65. **Error** Line 312 column 126: required attribute "ALT" not specified.

```
...0" vspace="6" border="0" align="top" ></a>
```

66. **Error** Line 322 column 26: required attribute "TYPE" not specified.

```
<script src="/se_click.js" ></script>
```



The W3C Validator Team

